

# Index E2/VM1 & AS1/AS2

All references to Verification Methods and Acceptable Solutions are preceded by **VM** or **AS** respectively.

<b>Barges</b> .....	<b>AS1</b> 4.6.1.5, 9.6.8.2, 9.6.9.4, Figures 92 and 97
<i>see also</i> Gutters, barges and fascias	
<b>Basements</b> .....	<b>AS1</b> 12.0
Damp-proof membranes .....	<b>AS1</b> 12.2
DPM materials .....	<b>AS1</b> 12.2.2
DPM requirements .....	<b>AS1</b> 12.2.1
Drainage .....	<b>AS1</b> 12.3
Requirements .....	<b>AS1</b> 12.3.1
Moisture in basements .....	<b>AS1</b> 12.1, Figure 133
<b>Cladding finish colours</b> .....	<b>AS1</b> 2.4
<b>Construction moisture</b> .....	<b>AS1</b> 11.0
Maximum acceptable moisture contents .....	<b>AS1</b> 11.2
Measuring moisture content .....	<b>AS1</b> 11.3
Concrete floors .....	<b>AS1</b> 11.3.2
Timber .....	<b>AS1</b> 11.3.1
Moisture in materials .....	<b>AS1</b> 11.1
<b>Decks and pergolas</b> .....	<b>AS1</b> 7.0, 9.1.3.6
<i>see also</i> Membrane roofs and decks	
<i>see also</i> Enclosed Balustrades	
Attachment to building structure .....	<b>AS1</b> 7.2
Pergolas .....	<b>AS1</b> 7.2.2, Figure 15
Slatted timber decks to walls .....	<b>AS1</b> 7.2.1, Figure 15
Cantilevered decks .....	<b>AS1</b> 7.2.1.1, Figure 16
Level thresholds .....	<b>AS1</b> 7.3, Figures 17A and 17B
Enclosed decks .....	<b>AS1</b> 7.3.1, Figure 17A
Ground floor level access .....	<b>AS1</b> 7.3.2, Figure 17B
Concrete slab .....	<b>AS1</b> Paragraph 7.3.2.1, Figure 17B
Timber floor .....	<b>AS1</b> Paragraph 7.3.3.2, Figure 17B
Removable surfaces .....	<b>AS1</b> 7.3.1, Figure 16
Timber option .....	<b>AS1</b> 7.3.1.2
Thresholds for decks .....	<b>AS1</b> 7.1, Figure 14
Enclosed decks .....	<b>AS1</b> 7.1.2
Slatted decks .....	<b>AS1</b> 7.1.1, Figures 15 and 16
<b>Doors</b>	
<i>see</i> Windows and doors	
<b>Earth buildings</b> .....	<b>AS2</b> 1.0
<b>EIFS</b> .....	<b>AS1</b> 9.9
Coating .....	<b>AS1</b> 9.9.6
Decorative mouldings .....	<b>AS1</b> 9.9.6.4
Finish coats .....	<b>AS1</b> 9.9.6.3
Reinforcing .....	<b>AS1</b> 9.9.6.1
Reinforcing base coat .....	<b>AS1</b> 9.9.6.2

Amend 4  
May 2008

- EIFS/floor slab junction ..... **AS1** 9.9.7, Figure 125
- General ..... **AS1** 9.9.2
- Installation ..... **AS1** 9.9.4, Table 23
- Fixing blocks ..... **AS1** 9.9.4.4
- Fixings ..... **AS1** 9.9.4.1, Table 24
- Joints ..... **AS1** 9.9.4.2
- Movement control joints ..... **AS1** 9.9.4.3, Figure 124
- Insulation ..... **AS1** 9.9.5
- Battens ..... **AS1** 9.9.5.1
- Limitations ..... **AS1** 9.9.1
- Materials ..... **AS1** 9.9.3
- Fibreglass reinforcing mesh ..... **AS1** 9.9.3.2
- Polystyrene sheet ..... **AS1** 9.9.3.1
- Parapets and enclosed balustrades ..... **AS1** 9.9.10
- EIFS topped enclosed balustrades ..... **AS1** 9.9.10.2, Figure 129
- Metal cappings ..... **AS1** 9.9.10.1, Figures 12, 13 and 130
- Pipes and service penetrations ..... **AS1** 9.9.8, Figure 126
- Windows and doors ..... **AS1** 9.9.9, Figures 127 and 128
- Enclosed balustrades** ..... **AS1** 7.4, 9.3.9, 9.4.8, 9.5.5,  
9.6.9.8, 9.7.8, 9.8.7, 9.9.10,  
Figures 101 and 102
- Balustrade-to-deck floor junction ..... **AS1** 7.4.3, Figures 18 and 62
- Balustrade-to-wall junctions ..... **AS1** 7.4.2, Figures 11-13
- Deck drainage ..... **AS1** 7.4.1
- EIFS-topped ..... **AS1** 9.9.10.2, Figure 129
- Flush-finished topped balustrades ..... **AS1** 9.7.8.1, Figure 117
- Metal cappings ..... **AS1** 7.4.4, Table 7, Figure 5
- Balustrades for housing ..... **AS1** 7.4.4.1, Figures 11-13
- Balustrades – other than housing ..... **AS1** 7.4.4.2, Figures 11-13
- Stanchions ..... **AS1** 7.4.5, Figure 19
- Stucco topped balustrades ..... **AS1** 9.3.9.1, Figure 117
- Fascias**  
see Gutters, barges and fascias
- Fibre cement sheet** ..... **AS1** 9.3.6.2, 9.7
- Corners ..... **AS1** 9.7.5
- Flush-finished systems ..... **AS1** 9.7.5.2, Figures 111-113  
(internal and external corners)
- Non-flush-finished ..... **AS1** 9.7.5.1, Figures 109, 111-112  
(internal and external corners)
- Decorative attachments ..... **AS1** 9.7.9
- Finishes ..... **AS1** 9.7.10
- Flush-finished cladding ..... **AS1** 9.7.10.2
- Non-flush-finished cladding ..... **AS1** 9.7.10.1
- Installation ..... **AS1** 9.7.3, Table 23
- Fixings ..... **AS1** 9.7.3.1, Table 24
- Joints ..... **AS1** 9.7.4

Control joints	.AS1 9.7.4.1, Table 19
Flush-finished	.AS1 9.7.4.3, Figure 110
Non-flush-finished	.AS1 9.7.4.2, Figures 103-108
Limitations	.AS1 9.7.1
Flush-finished joint systems	.AS1 9.7.1.1
Material	.AS1 9.7.2
Parapets and enclosed balustrades	.AS1 9.7.8
Flush-finished topped balustrades	.AS1 9.7.8.1, Figure 117
Soffit details	.AS1 9.7.6, Figure 114
Windows and doors	.AS1 9.7.7
Windows – direct fixed	.AS1 9.7.7.1, Figure 115
Windows – on cavity	.AS1 9.7.7.2, Figure 116
<b>Fibre cement weatherboards</b>	.AS1 9.5
Installation	.AS1 9.5.3, Table 23
External corners	.AS1 9.5.3.3, Figures 88 and 89
Fixings	.AS1 9.5.3.1, Table 24
Internal corners	.AS1 9.5.3.4, Figure 89
Laps and joints	.AS1 9.5.3.2, Figure 87
Limitations	.AS1 9.5.1
Material performance	.AS1 9.5.2
Parapets and enclosed balustrades	.AS1 9.5.5
Protective coating	.AS1 9.5.6
Windows and doors	.AS1 9.5.4
Windows – direct fixed	.AS1 9.5.4.1, Figure 90
Windows – on cavity	.AS1 9.5.4.2, Figure 91
<b>Fixings</b>	.AS1 4.4, 8.1.4, 8.2.4, 8.3.7, 8.4.8, 8.4.8.1, 8.4.9, 8.4.9.1, 9.4.3.1, 9.4.4.3, 9.4.5.2, 9.5.3.1, 9.6.6, 9.7.3.1, 9.8.3.1, 9.9.4.1, Tables 14, 15, 20-22, 24, Figures 39 and 40
<b>Flashings</b>	.AS1 4.0, 8.2.4, 8.2.6, 8.3.8, 8.4.11, 8.4.11.1, 8.4.12, 9.6.7, Tables 20-22, Figures 5 and 6
Apron flashings	.AS1 5.1, 8.4.12, Figures 7 and 43
Durability requirements	.AS1 4.2.1
Fixings	.AS1 4.4
Head flashings	.AS1 9.1.10.4, Table 7
Jamb flashings	.AS1 9.1.10.6, Table 7
Materials	.AS1 4.1, 4.2, 4.2.2, 4.2.3, 4.2.4, 4.3, 9.8.5
Aluminium	.AS1 4.3.2
Aluminium-zinc coated steel	.AS1 4.3.4
Bituminous	.AS1 4.3.10
Butyl rubber	.AS1 4.3.9
Copper	.AS1 4.3.6
EPDM	.AS1 4.3.9
Flexible flashing tape	.AS1 4.3.11
Galvanised steel	.AS1 4.3.3

Amend 2  
Jul 2005

Lead sheet	.AS1 4.3.7
Stainless steel	.AS1 4.3.5
uPVC	.AS1 4.3.1
Zinc sheet	.AS1 4.3.8
Overlaps and upstands	.AS1 4.6
Overlap with roof claddings	.AS1 4.6.1
Apron flashing cover over metal roofing	.AS1 4.6.1.1
Barges	.AS1 4.6.1.5
Change in metal roof pitches	.AS1 4.6.1.3
Inter-storey junctions	.AS1 4.6.1.7
Parallel flashing	.AS1 4.6.1.1
Ridges and hips	.AS1 4.6.1.2
Roof- or deck-to-wall junctions	.AS1 4.6.1.4
Transverse flashing	.AS1 4.6.1.1
Window heads	.AS1 4.6.1.6
Requirements	.AS1 4.5
Edge treatments	.AS1 4.5.1, Figure 5
Metal flashing joins	.AS1 4.5.2, Figure 6
<b>Floors</b>	<b>.AS1 10.0</b>
Concrete slab-on-ground	.AS1 10.3
Acceptable materials	.AS1 10.3.4
Damp-proof membranes (DPM)	.AS1 10.3.3, Figure 132
Finished floor level	.AS1 10.3.5, Table 18, Figure 132
Floor levels	.AS1 10.3.2, Figure 132
General	.AS1 10.3.1, Figure 132
Protection from timber	.AS1 10.3.6
General	.AS1 10.1
Suspended timber floors	.AS1 10.2
Airflow	.AS1 10.2.6
General	.AS1 10.2.1
Openings	.AS1 10.2.5
Protection of timber	.AS1 10.2.2
Separation	.AS1 10.2.3, Figure 131
Subfloor ventilation	.AS1 10.2.4
Vapour barriers in subfloor space	.AS1 10.2.7
Installation	.AS1 10.2.7.2
Minimum ventilation with vapour barrier	.AS1 10.2.7.1
<b>Gutters, barges, and fascias</b>	<b>.AS1 5.2, 8.1.6, 8.3.9,</b> <b>8.4.14, 8.5.10, Figures 20 and 64</b>
Internal gutters	.AS1 8.1.6.1, 8.1.6.3, 8.4.16, 8.4.16.3, Figure 52
Parallel hidden gutters	.AS1 8.1.6.1, 8.4.16, 8.4.16.1, Figure 50
Valley gutters	.AS1 8.1.6.1, 8.1.6.2, 8.4.16, 8.4.16.2, Table 8, Figure 51

<b>Maintenance</b> .....	<b>AS1</b> 2.5
Regular maintenance .....	<b>AS1</b> 2.5.1
<b>Masonry tiles</b> .....	<b>AS1</b> 8.2
Anti-ponding boards .....	<b>AS1</b> 8.2.5
Details and flashings .....	<b>AS1</b> 8.2.6, Figures 23-28
Flashings and fixings .....	<b>AS1</b> 8.2.4, Tables 20-22
General .....	<b>AS1</b> 8.2.2
Installation .....	<b>AS1</b> 8.2.3, Tables 10 and 23
Materials .....	<b>AS1</b> 8.2.1
Tile profiles .....	<b>AS1</b> 8.2.1.1
Penetrations .....	<b>AS1</b> 8.2.7, Figures 29-31
<b>Masonry veneer</b> .....	<b>AS1</b> 9.1.3.2, 9.2, Table 18
Bottom of masonry veneer .....	<b>AS1</b> 9.2.7
Concrete bricks .....	<b>AS1</b> 9.2.5, Figure 73
Control joints .....	<b>AS1</b> 9.2.4
Clay bricks .....	<b>AS1</b> 9.2.4.1, Figure 73
General .....	<b>AS1</b> 9.2.2
Installation .....	<b>AS1</b> 9.2.3, Table 23
Limitations .....	<b>AS1</b> 9.2.1
Secondary cladding .....	<b>AS1</b> 9.2.8
Windows and doors .....	<b>AS1</b> 9.2.6
<b>Membrane cappings</b> .....	<b>AS1</b> 6.5
<b>Metal cappings</b> .....	<b>AS1</b> 6.4, 7.4.4, 9.9.10.1, Figure 9
<b>Membrane roofs and decks</b> .....	<b>AS1</b> 8.5
Control joints .....	<b>AS1</b> 8.5.7
General .....	<b>AS1</b> 8.5.2
Gutters .....	<b>AS1</b> 8.5.10, Figure 64
Installation .....	<b>AS1</b> 8.5.5
Butyl and EPDM .....	<b>AS1</b> 8.5.5.2
Plywood .....	<b>AS1</b> 8.5.5.1
Junctions .....	<b>AS1</b> 8.5.7, Figures 57, 58 and 61-63
With walls .....	<b>AS1</b> 8.5.8.1, Figure 62
Limitations .....	<b>AS1</b> 8.5.1, Figure 17A
Penetrations .....	<b>AS1</b> 8.5.9, Figures 59 and 60
Handrails .....	<b>AS1</b> 8.5.9.1
Plywood substrates .....	<b>AS1</b> 8.5.3
Butyl and EPDM .....	<b>AS1</b> 8.5.3.1
Roof and deck drainage .....	<b>AS1</b> 8.5.6, Figures 56, 57 and 62-64
<b>Parapets</b> .....	<b>AS1</b> 6.0, 9.3.9, 9.4.8, 9.5.5, 9.7.8, 9.8.7, 9.9.10, 9.6.9.8
Capping materials .....	<b>AS1</b> 6.3
General .....	<b>AS1</b> 6.2
Limitations .....	<b>AS1</b> 6.1
Integral surface cappings .....	<b>AS1</b> 6.6
Membrane cappings .....	<b>AS1</b> 6.5

- Metal cappings ..... **AS1** 6.4, Figure 9  
 Parapet-to-wall junctions ..... **AS1** 6.4.1, Figures 11-13
- Pergolas**  
 see Decks and Pergolas
- Plywood sheet** ..... **AS1** 9.8  
 Corners ..... **AS1** 9.8.4  
 External ..... **AS1** 9.8.4.1, Figure 122  
 Internal ..... **AS1** 9.8.4.2, Figure 123  
 Finishes ..... **AS1** 9.8.9  
 Flashing material ..... **AS1** 9.8.5, Tables 20-22  
 Installation ..... **AS1** 9.8.3, Table 23  
 Fixings ..... **AS1** 9.8.3.1, Table 24  
 Joints ..... **AS1** 9.8.3.2, Figures 118-121  
 Limitations ..... **AS1** 9.8.1  
 Materials ..... **AS1** 9.8.2, Figures 118 and 119  
 Parapets and enclosed balustrades ..... **AS1** 9.8.7  
 Soffit details ..... **AS1** 9.8.6, Figure 114  
 Windows and doors ..... **AS1** 9.8.8  
 Windows: direct fixed ..... **AS1** 9.8.8.1, Figure 115  
 Windows: with cavity ..... **AS1** 9.8.8.2, Figure 116
- Pressed metal tiles** ..... **AS1** 8.3  
 Barges ..... **AS1** 8.3.9, Figure 8  
 Fascias ..... **AS1** 8.3.9, Figure 8  
 Fixings ..... **AS1** 8.3.7  
 Flashings ..... **AS1** 8.3.8, Table 7, Figures 34-37  
 Gutters ..... **AS1** 8.3.9, Figure 8  
 Installation ..... **AS1** 8.3.2  
 Limitations ..... **AS1** 8.3.1, Figure 37  
 Metal substrate ..... **AS1** 8.3.4  
 Aluminium ..... **AS1** 8.3.4.3  
 Choice of metal ..... **AS1** 8.3.4.1, Table 20  
 Steel ..... **AS1** 8.3.4.2  
 Roof penetrations ..... **AS1** 8.3.10, Figures 53 and 55  
 Roof pitch ..... **AS1** 8.3.5, Figure 32  
 Tiles ..... **AS1** 8.3.3  
 Underlay ..... **AS1** 8.3.6, Table 23
- Profiled metal roof claddings** ..... **AS1** 8.4  
 Allowance for expansion ..... **AS1** 8.4.10, Table 16, Figure 39  
 Fixings: corrugated and trapezoidal profiles ..... **AS1** 8.4.8, Figure 39  
 Requirements ..... **AS1** 8.4.8.1, Tables 14 and 15  
 Fixings: trough profile ..... **AS1** 8.4.9, Figure 40  
 Requirements ..... **AS1** 8.4.9.1  
 Flashing details ..... **AS1** 8.4.12, Figures 43-48  
 Flashing requirements ..... **AS1** 8.4.11, Tables 21 and 22,  
 Figures 41 and 42  
 Fixing flashings ..... **AS1** 9.11.1, Table 21, Figure 6

Amend 2  
Jul 2005

General	AS1 8.4.2
Internal gutters	AS1 8.4.16, 8.4.16.3, Figure 52
Limitations	AS1 8.4.1
Materials	AS1 8.4.3
Aluminium	AS1 8.4.3.3
Choice of metal	AS1 8.4.3.1, Table 20
Steel	AS1 8.4.3.2
Parallel hidden gutters	AS1 8.4.16, 8.4.16.1, Figure 50
Profile closure	AS1 8.4.15
Profiles	AS1 8.4.4, Figure 38
Roof penetrations	AS1 8.4.17, Table 17, Figures 21 and 53-55
Roof pitch	AS1 8.4.5
Stopends	AS1 8.4.13, Figure 49
Structure	AS1 8.4.6, Tables 11, 12 and 13
Turn-downs at gutters	AS1 8.4.14
Underlay	AS1 8.4.7, Table 23
Valley gutters	AS1 8.4.16, 8.4.16.2, Table 8, Figure 51
<b>Profiled metal wall claddings</b>	<b>AS1 9.6, Table 3</b>
(horizontal and vertical)	
Fixings	AS1 9.6.6, Table 20, Figure 39
Flashings	AS1 9.6.7, Figures 5 and 6, Table 21
General	AS1 9.6.2
Horizontal profiled metal on cavity	AS1 9.6.9
Barges	AS1 9.6.9.4, Figure 97
Bottom of cladding	AS1 9.6.9.5, Figure 98
Cavity battens	AS1 9.6.9.2, Table 23
Corners	AS1 9.6.9.3, Figure 96
Installation	AS1 9.6.9.1, Table 23
Parapets and balustrades	AS1 9.6.9.8, Figures 101 and 102
Penetrations	AS1 9.6.9.6, Figures 53 and 69
Windows	AS1 9.6.9.7, Figures 99 and 100
Limitations	AS1 9.6.1, Figure 38
Maintenance	AS1 9.6.4
Materials	AS1 9.6.3
Aluminium	AS1 9.6.3.3
Choice of metal	AS1 9.6.3.1, Table 20
Steel	AS1 9.6.3.2
Profiles	AS1 9.6.5, Figure 38
Vertical profile – direct fixed	AS1 9.6.8
Barges	AS1 9.6.8.2, Figure 92
Bottom of cladding	AS1 9.6.8.3, Figure 93
Corners	AS1 9.6.8.4, Figure 94
Installation	AS1 9.6.8.1, Table 23
Penetrations	AS1 9.6.8.5, Figures 53 and 69
Windows	AS1 9.6.8.6, Figures 95 and 100
<b>Qualifications</b>	<b>AS1 1.5, 8.2.2, 8.4.2, 8.5.2, 9.2.2, 9.3.4.1, 9.6.2, 9.9.2</b>

<b>Roof claddings</b> .....	<b>AS1</b> 3.2, 8.0
General .....	<b>AS1</b> 8.1
Fixings .....	<b>AS1</b> 8.1.4, Table 20
Gutters .....	<b>AS1</b> 8.1.6, Figure 20
Hidden gutters .....	<b>AS1</b> 8.1.6.1
Internal gutters .....	<b>AS1</b> 8.1.6.1, 8.1.6.3
Valley gutters .....	<b>AS1</b> 8.1.6.1, 8.1.6.2, Table 8
Limitations .....	<b>AS1</b> 8.1.2
Maintenance .....	<b>AS1</b> 8.1.3
Projecting eaves .....	<b>AS1</b> 8.1.3.1
Roof penetrations .....	<b>AS1</b> 8.1.7, Tables 9 and 17, Figures 21 and 22
Underlays .....	<b>AS1</b> 8.1.5, Table 23
Underlay support .....	<b>AS1</b> 8.1.5.1
Weathertightness .....	<b>AS1</b> 8.1.1
<b>Roof/wall junctions</b> .....	<b>AS1</b> 5.0
Apron flashings .....	<b>AS1</b> 5.1, Table 7, Figure 7
Barges .....	<b>AS1</b> 5.2, Figure 8
Fascias .....	<b>AS1</b> 5.2, Figure 8
Gutters .....	<b>AS1</b> 5.2, Figure 8
<b>Scope</b> .....	<b>VM1</b> 1.2, <b>AS1</b> 1.0
Construction excluded .....	<b>AS1</b> 1.2
Acoustics .....	<b>AS1</b> 1.2.3
Commercial and industrial roofing .....	<b>VM1</b> 3.0
Outbuildings .....	<b>AS1</b> 1.2.1
Skillion roofs .....	<b>VM1</b> 3.0
Spread of flame .....	<b>AS1</b> 1.2.2
Construction included .....	<b>AS1</b> 1.1
Provisions for snow .....	<b>AS1</b> 1.3
Qualifications .....	<b>AS1</b> 1.5
Specific design .....	<b>AS1</b> 1.4
Windows and doors .....	<b>AS1</b> 9.1.10.1
<b>Stucco</b> .....	<b>AS1</b> 9.3
Bottom of stucco .....	<b>AS1</b> 9.3.8, Figure 75
Decorative attachments .....	<b>AS1</b> 9.3.10
Finishes .....	<b>AS1</b> 9.3.7
Installation .....	<b>AS1</b> 9.3.4
General .....	<b>AS1</b> 9.3.4.1
Movement control joints .....	<b>AS1</b> 9.3.4.2
Limitations .....	<b>AS1</b> 9.3.1
Non-rigid plaster backings .....	<b>AS1</b> 9.3.5
Installation of building wrap .....	<b>AS1</b> 9.3.5.1, Table 23
Support .....	<b>AS1</b> 9.3.5.2
Rigid plaster backings .....	<b>AS1</b> 9.3.6
Fibre cement sheet backing .....	<b>AS1</b> 9.3.6.2
Plywood backing .....	<b>AS1</b> 9.3.6.1

Amend 2  
Jul 2005Amend 2  
Jul 2005Amend 2  
Jul 2005

Parapets and enclosed balustrades	.AS1 9.3.9
Stucco-topped enclosed balustrades	.AS1 9.3.9.1, Figure 117
Structure	.AS1 9.3.2
Stucco cladding system	.AS1 9.3.3, Table 23, Figure 74
Windows and doors	.AS1 9.3.11, Figure 76
<b>Timber weatherboards</b>	.AS1 9.4
Finishes	.AS1 9.4.9
Fixings	.AS1 9.4.3.1, Table 24
Horizontal weatherboards	.AS1 9.4.1.3, 9.4.4
External corners	.AS1 9.4.4.4, Figures 77 and 78
Fixings	.AS1 9.4.4.3, Table 24
Horizontal laps	.AS1 9.4.4.1
Internal corners	.AS1 9.4.4.5, Figure 79
Joints	.AS1 9.4.4.2
Installation	.AS1 9.4.3, Table 23
Limitations	.AS1 9.4.1
Horizontal weatherboards	.AS1 9.4.1.3, Table 3
Vertical weatherboards	.AS1 9.4.1.2, Table 3
Weatherboard profiles	.AS1 9.4.1.1
Materials	.AS1 9.4.2, Table 23
Parapets and enclosed balustrades	.AS1 9.4.8
Vertical weatherboards	.AS1 9.4.5
Corners (external and internal)	.AS1 9.4.5.3, Table 7, Figure 80
Fixings	.AS1 9.4.5.2, Table 24
Laps	.AS1 9.4.5.1
Windows in cavity walls	.AS1 9.4.7, Figures 85 and 86
Windows in direct fixed weatherboards	.AS1 9.4.6, Figures 81-84
<b>Verification Method</b>	.VM1 1.0, 2.0, 3.0, Appendix 1
Alternative test options	.VM1 1.5
Commercial and industrial roofing	.VM1 3.0
General	.VM1 1.1
Pitched roofing systems	.VM1 2.0
Scope	.VM1 1.2
Skillion roofs	.VM1 3.0
Test procedure	.VM1 1.4
<b>Vermin-proofing</b>	.AS1 9.1.8.3
<b>Wall/Roof junctions</b>	
see Roof/wall junctions	
<b>Wall claddings</b>	.AS1 3.3
Air seals	.AS1 9.1.6, Figure 81
Barriers to airflow	.AS1 9.1.4, Table 23
Bottom of cladding	.AS1 9.1.3, Table 18, Figure 65
Balconies, decks and roofs	.AS1 9.1.3.6
Bottom of other wall claddings	.AS1 9.1.3.3, Table 18

Concrete slabs	.AS1 9.1.3.1, Figure 132
Ground level timber framing	.AS1 9.1.3.5, Table 18
Masonry veneer clearances	.AS1 9.1.3.2, Table 18
Openings to garages	.AS1 9.1.3.4, Table 18, Figure 65
Building wrap	.AS1 9.1.7, Table 23, Figure 71
Building wrap to wall openings	.AS1 9.1.5, Figure 72
Drained cavities	.AS1 9.1.8
Cavity battens	.AS1 9.1.8.4
Limitations	.AS1 9.1.8.1
Requirements	.AS1 9.1.8.2, Table 23, Figures 66 and 67
Vermin-proofing	.AS1 9.1.8.3, Figure 66
Wall framing behind cavities	.AS1 9.1.8.5
General	.AS1 9.1
Limitations	.AS1 9.1.1, Table 3
Maintenance	.AS1 9.1.2
Penetrations	.AS1 9.1.9
Inter-storey junctions	.AS1 9.1.9.4, Figure 70
Other cavity penetrations	.AS1 9.1.9.2
Penetrations through cavities	.AS1 9.1.9.1
Pipes and service penetrations	.AS1 9.1.9.3, Figures 68 and 69
Windows and doors	.AS1 9.1.10
Closed cell foam tape	.AS1 9.1.10.7
Head flashings	.AS1 9.1.10.4, Table 7, Figure 71
Jamb flashings	.AS1 9.1.10.6, Table 7
Scope	.AS1 9.1.10.1
Treatment of opening	.AS1 9.1.10.2, Figure 72
Window heads	.AS1 9.1.10.3, Figure 71
Window sills	.AS1 9.1.10.5, Table 7

**Weatherboards**

see Timber weatherboards and fibre cement weatherboards

**Weathertightness** . . . . .VM1 1.0, AS1 2.1, 8.1.1

**Weathertightness risk factors** . . . . .AS1 3.0

Establishing the risk	.AS1 3.1, Figure 1
Building envelope risk matrix	Table 2
Examples	.AS1 3.4, 3.4.1, 3.4.2, 3.4.3, Tables 4-6, Figures 2-4
Definitions of risk	.AS1 3.1.1, Table 1
Risk score	.AS1 3.1.2, Table 2
Roof claddings	.AS1 3.2
Wall claddings	.AS1 3.3, Table 3

**Windows and doors** . . . . .AS1 9.1.10, 9.2.6, 9.3.11, 9.5.4, 9.6.9.7,  
9.7.7, 9.8.8, 9.9.9, Figure 76

Closed cell foam tape	.AS1 9.1.10.7
Head flashings	.AS1 9.1.10.4, Table 7, Figure 71
Jamb flashings	.AS1 9.1.10.6, Table 7

Scope ..... **AS1** 9.1.10.1  
Treatment of opening ..... **AS1** 9.1.10.2, Figure 72  
Vertical profiled metal ..... **AS1** 9.6.8.6, Figures 95 and 100  
Window heads ..... **AS1** 9.1.10.3, Figure 71  
Windows – cavity ..... **AS1** 9.4.7, 9.5.4.2, 9.7.7.2, 9.8.8.2, 9.9.9,  
Figures 85, 86, 91, 116 and 128  
Windows – direct fixed . . . **AS1** 9.4.6, 9.5.4.1, 9.7.7.1, 9.8.8.1, 9.9.9,  
Figures 81-84, 90, 115 and 127  
Window sills ..... **AS1** 9.1.10.5, Table 7

